POLYETHYLENE WAX

A O KA SIN PORT | EMPOWER

"A GLOBAL DISTRIBUTION HUB"

ABOUTUS

We would like to introduce our self as **AlOKA SM EXIM** a professional supplier and trader of fine chemicals dealing with Synthetic Iron oxide series, Inorganic & Organic pigments, Titanium Dioxide, Polyethylene Wax, Pigment for Paint, Plastic, Rubber & Ink Industries. We also deal in specialty pigments like High Performance Pigments and Fluorescent Pigmentproducts. Our company locates at Ahmedabad-Gujarat of Western India, and keeps long-term and stable relationships with many large-scale International &domestic Pigments & chemical Manufacturers. The marketing network we have stretches to more than 40 countries and regions, including Europe, USA, South America, Southeast Asia, Middle East, Hong Kong, and Taiwan and so on.

WHY CHOOSE US?

AIOKA SM EXIM is a Trading House, along with state-of-the-art laboratory, R&D, and Test Centre facilities equipped with advanced technology. Our robust technical expertise, cutting-edge research capabilities, and exceptional teamwork are the cornerstones of our commitment to delivering top-quality products and exceptional services. This dedication has earned us the trust and praise of both domestic and international customers.

Furthermore, our company is home to a knowledgeable and efficient import and export team with extensive professional experience and a strong service orientation. Guided by the principles of delivering the best quality, the best price, and the best service, **AIOKA SM EXIM** is committed to continuous self-improvement, aiming to serve customers worldwide.

We eagerly welcome the opportunity to understand your specific requirements and how our services can contribute to achieving your overall goals and expectations. Additionally, we are interested in learning more about the steps needed for approval in your supplier database. We look forward to the possibility of collaborating with you soon.

POLYETHYLENE WAX

Product Description

PE Wax has ultrafine particle size, high melting point, outstanding grindability and smoothness, good recoat ability, breathability. PE Wax has good mixing compatibility and dispersion. It used in solvent coatings, powder coatings and ink with excellent smoothness, wear-resisting and anti-scratching. PE Wax has good compatibility with ink and coating system. It is widely used in wood coatings, plastic coatings, powder coatings, coil coatings, UV light curing coatings, etc.

Applications

Dispersing Load and pigments for Masterbatch | Coating industry for improving gloss and Flexibility | For Manufacturing Inks and Toners | Used in molding process as a lubricant in PVC and Rubber industry | Additive in Paraffin mixtures

Technical Index: PV WAX 2040PX

Properties	Unit	values	Test Method
Viscosity@140 °C	cPs	350-450	ASTM D3236
Density	g/cm³	0.92	ASTM D1505
Penetration Hardness	d.mm	2	ASTM D1321
Softening Point	°C	109	ASTM D3945





VIOKV

IMPORT | EXPORT | EMPOWER

Add: 402 - Aaron Spectra, Rajpath Rangoli road,

Behind Rajpath Club, Ahmedabad, 380054

Phone: +91 9106314130, +918320126298

Mobile: +91 9725947078, +919727347878

Web: www.aiokasm.com

mail id: shivangi@aiokasm.com

manthan@aiokasm.com