IRON OXIDES

IMPORT | EXPORT | EMPOWER

"A GLOBAL DISTRIBUTION HUB"

SYNTHETIC IRON OXIDE - GREEN

Product Description

Synthetic iron oxide pigments are globally renowned as one of the most favored coloring agents. They are versatile and well-suited for an array of applications.

Green Oxide

AIO 5605 AIO 835

Applications

Paints | Wood Coatings | Plastic Application | Industry Coating |
Print ink | Art coatings | Powder coating | Cement Colors |
Paver Blocks | Concrete & mortar Colors | Construction Flooring

Technical Index: Green 5605

Properties	Unit	values
Physical Form		Fine Powder.
Chemical Composition		C ₃₂ H ₁₄ N ₈ Cu,Fe ₂ O ₃ ,CaCO ₃ .
Oil Absorption	gm/100gm	26.3 gm/100 gms
Sieve Residue on 325#	%	≤ 0.3
Moisture	%	≤ 0.1 %
pH value		6.5
Hegman		3.0+
Bulk Density	Gm/cm3	5
Heat Stability		Up to 280 degree for 5 mnts.lnj.moulding
Specific Gravity	Gm/cm3	5.0
Packaging		25 kgs. Paper Bag
Transport and Storage.		Store in dry place
Safety		The product is not classifed as Hazardous.

Technical Index: Green 835

Properties	Unit	values
Physical Form		Fine Powder.
Chemical Composition		C ₃₂ H ₁₆ N ₈ Cu+FeOOH
Oil Absorption	gm/100gm	25 gm/100 gms
Sieve Residue on 325#	%	≤ 0.3
Moisture	%	≤ 1.0 %
pH value		8-10
Hegman		3.0+
Bulk Density	Gm/cm3	5
Heat Stability		Up to 280 degree for 5 mnts.lnj.moulding
Specific Gravity	Gm/cm3	5.0
Packaging		25 kgs. Paper Bag
Transport and Storage.		Store in dry place
Safety		The product is not classifed as Hazardous.

Package:

25kg/paper bags, Polythene bags

500kg/900kg/1000kg super bags

20-22mt/20'FCL with pallets wrapped and shrink





VIOKV

IMPORT | EXPORT | EMPOWER

Add : 402 - Aaron Spectra, Rajpath Rangoli road,

Behind Rajpath Club, Ahmedabad, 380054

Phone: +91 9106314130, +918320126298

Mobile: +91 9725947078, +919727347878

Web: www.aiokasm.com

mail id: shivangi@aiokasm.com

manthan@aiokasm.com